


TURF-STRIPPER 1600




Version: 2150




Decalls
Hybrid rotor
Hydraulics


Page 02
Page 19
Page 20 - 21




ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	933.280.402	Safety decall		2
2	900.280.404	Decall cut off fingers		1
3	911.280.404	Decall close cover		1
4	900.260.403	Logo Label		2
5	900.260.422	Decall PTO 350 540		1
6	900.280.402	Safety decall manual		1
7	953.260.200	Decall Turf-Stripper, heigth 85mm		1
8	912.260.404	Label 1600		1
9	900.280.300	Safety decall conveyor belt		5




Item	PartNo.	Description	Remarks	Qty.
1	864.080.030	Washer M8 - ISO 7089		6
2	468.027.480	Safety cover		1
3	864.140.031	Large washer M14 - DIN 9021		2
4	864.080.024	Large washer M8 - DIN 9021		4
5	456.023.070	Belt cover		1
6	444.803.100	Toolbox Complete		1
7	830.100.100	Self Lock Nut M10 - ISO 10511		4
8	804.080.200	Bolt M8 x 20 - ISO 4017		4
9	804.080.250	Bolt M8 x 25 - ISO 4017		4
10	804.080.300	Bolt M8 x 30 - ISO 4017		2
11	864.100.030	Washer M10 - ISO 7089		4
12	866.080.020	Spring Washer M8 - DIN 127		10
13	468.029.004	Safety cover pulleys		1




Item	PartNo.	Description	Remarks	Qty.
1	864.160.030	Washer M16 - ISO 7089		6
2	402.130.200	Bush 12.5/125 L=19.5		2
3	713.500.270	Bearing 6310-2RS		2
4	872.110.400	Circlip D=110 - DIN 472		2
5	830.100.100	Self Lock Nut M10 - ISO 10511		1
6	830.120.120	Self Lock Nut M12 - ISO 10511		4
7	830.160.160	Self Lock Nut M16 - ISO 10511		6
8	830.180.180	Self Lock Nut M18 - ISO 10511		4
9	826.200.200	Nut M20 - DIN 934		4
10	802.100.400	Bolt M10 x 40 - ISO 4014 - 10.9		1
11	802.120.450	Bolt M12 x 45 ISO 4014		2
12	802.120.600	Bolt M12 x 60 - ISO 4014		2
13	804.160.500	Bolt M16 x 50 - ISO 4017		4
14	804.160.600	Bolt M16 x 60 - ISO 4017		2
15	804.180.500	Bolt M18 x 50 - ISO 4017		4
16	884.140.500	Key 14x9x50 DIN 6885		1
17	864.180.030	Washer M18 - ISO 7089		2
18	864.100.031	Large washer M10 - DIN 9021		2
19	466.153.050	Pivot Support		2
20	478.133.265	Bearing house drive shaft		1
21	420.594.570	Drive shaft		1
22	864.200.030	Washer M20 - ISO 7089		4
23	474.241.730	Eye bolt spanner		2
24	494.184.930	Main frame TS1600		1
25	464.101.140	Safety hook		1
26	406.101.300	Distance bush 16/10.5 L=13		1




Item	PartNo.	Description	Remarks	Qty.
1	874.170.020	Copper washer 3/8"		1
2	622.225.436	Gearbox Comer T-292B 1:1.86		1
3	466.104.500	Lever transport belt		1
4	629.210.192	PTO Cover Comer		1
5	830.180.180	Self Lock Nut M18 - ISO 10511		2
6	802.181.400	Bolt M18 x 140 - ISO 4014		2
7	547.300.640	Cover plate hose clamp 2x22		2
8	629.123.108	Cover PTO Shaft		1
9	537.380.360	Breather 3/8" BSP		1
10	864.200.030	Washer M20 - ISO 7089		1
11	864.080.030	Washer M8 - ISO 7089		8
12	816.160.500	Bolt M16 x 50 - DIN 7991		4
13	406.260.160	Distance bush 35/25.5 L=16		2
14	830.200.200	Self Lock Nut M20 Din 985 h=17		1
15	866.080.020	Spring Washer M8 - DIN 127		8
16	547.220.220	Hose clamp 2x22		4
17	802.080.600	Bolt M8 x 60 - ISO 4014		2
18	804.080.160	Bolt M8 x 16 - ISO 4017		8
19	406.191.100	Distance bush 25/18.5 L=110		2
20	802.201.400	Bolt M20 x 140 - ISO 4014		1




ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	534.300.941	Hydraulic cylinder 30/60 stroke 691		1
2	406.200.120	Bush Ø28/Ø20.2 L=14		2
3	864.200.030	Washer M20 - ISO 7089		2
4	830.200.200	Self Lock Nut M20 Din 985 h=17		2
5	802.201.200	Bolt M20 x 120 - ISO 4014		1
6	802.200.750	Bolt M20 x 75 - ISO 4014		1
7	523.051.000	R-clip Round 5, DIN 11024		1
8	521.281.230	Pin 28x123		2
9	2490830	Pin d.25		1
10	523.100.570	Linch Pin d10		2
11	646.022.804	Pulley SPB 280-4 T3020		1
12	648.603.020	Taperlock 3020 - 60mm		1
13	646.022.504	Pulley SPB 250-4 T3020		1
14	648.503.020	Taperlock 3020 - 50mm		1
15	180016004	Cross and 4x circlip kit		2
16	141026544	Complete collar yoke type 60		1
17	880.060.102	Grease nipple M6 90deg		2
18	141026112	Double yoke SD60		1
19	151016064	Splined yoke T-60		1
20	642.131.850	V-Belt XPB 1850		4
21	468.153.206	Weight plate		4
22	468.152.340	Weight plate small		5
23	830.160.160	Self Lock Nut M16-ISO 10511 Class 10		2
24	802.161.700	Bolt M16 x 170 - ISO 4014		2
25	864.160.030	Washer M16 - ISO 7089		2




Item	PartNo.	Description	Remarks	Qty.
1	2602004	Inner bush		2
2	802.201.200	Bolt M20 x 120 - ISO 4014		1
3	802.200.700	Bolt M20 x 70 - ISO 4014		1
4	864.200.030	Washer M20 - ISO 7089		2
5	826.160.160	Nut M16 - DIN 934		1
6	804.160.500	Bolt M16 x 50 - ISO 4017		1
7	830.080.080	Self Lock Nut M8 - ISO 10511		12
8	808.191.530	Hex Bolt 0.75"-16x6" UNF - ANSI B18.2.1		1
9	864.080.030	Washer M8 - ISO 7089		12
10	840.190.230	SL Nut 3/4"-16 UNF		1
14	494.111.800	Conveyor belt protection bar right		1
15	494.111.802	Conveyor belt protection bar left		1
16	478.345.632	Reaction bar		1
17	830.200.200	Self Lock Nut M20 Din 985 h=17		2
18	804.080.300	Bolt M8 x 30 - ISO 4017		12
19	470.019.172	Sidepanel conveyor left		1
20	470.019.170	Side panel conveyor right		1
21	492.141.890	Conveyor belt		1




Item	PartNo.	Description	Remarks	Qty.
1	864.080.024	Large washer M8 - DIN 9021		1
2	804.080.250	Bolt M8 x 25 - ISO 4017		1
3	830.080.080	Self Lock Nut M8 - ISO 10511		1
4	470.047.500	Scraper		1




Item	PartNo.	Description	Remarks	Qty.
1	852.201.800	Threaded rod M20 L=180		1
2	464.067.600	Scraper strip		1
3	866.080.020	Spring Washer M8 - DIN 127		2
4	804.080.160	Bolt M8 x 16 - ISO 4017		2
5	665.650.200	Coupling Rubber EGE-2-RP 92 Shore		1
6	864.080.030	Washer M8 - ISO 7089		2
7	488.110.770	Driver roller L=765		1
8	884.080.320	Key 8x7x32 - DIN 6885		2
9	880.090.100	Grease nipple Rp 1/8 straight		1
10	826.200.200	Nut M20 - DIN 934		3
11	804.160.450	Bolt M16 x 45 - ISO 4017		2
12	804.160.350	Bolt M16 x 35 - ISO 4017		1
13	804.120.450	Bolt M12 x 45 - ISO 4017		2
14	830.160.160	Self Lock Nut M16 - ISO 10511		2
15	468.021.482	Protection cover		1
16	743.250.440	Bearing PHEY25		1
17	406.250.100	Distance bush 32/25 L=10		2
18	830.120.120	Self Lock Nut M12 - ISO 10511		2
19	830.160.160	Self Lock Nut M16 - ISO 10511		1
20	742.250.360	Bearing UCFL 205		1
21	665.250.520	Coupling half A2825 Cast Iron		2
22	880.060.100	Grease nipple M6 DIN 71412A		1




Item	PartNo.	Description	Remarks	Qty.
1	880.090.100	Grease nipple Rp 1/8 straight		2
2	852.201.800	Threaded rod M20 L=180		2
3	804.080.160	Bolt M8 x 16 - ISO 4017		2
4	866.080.020	Spring Washer M8 - DIN 127		2
5	864.080.030	Washer M8 - ISO 7089		2
6	826.200.200	Nut M20 - DIN 934		6
7	488.110.772	Driven roller L=765		1
8	494.184.100	External conveyor frame		1
9	866.060.850	Scraper bracket		2
10	464.067.600	Scraper strip		1
11	743.250.440	Bearing PHEY25		2




Item	PartNo.	Description	Remarks	Qty.
1	864.120.030	Washer M12 - ISO 7089		3
2	464.101.330	Safety hook		1
3	406.080.062	Distance bush $\varnothing 15/\varnothing 8.5$ L=6		1
4	402.080.180	Bush $\varnothing 20 \times \varnothing 9 \times 18$		1
5	444.151.250	Handle		1
6	446.080.550	Rubber stop		1
7	814.080.251	Bolt M8 x 25 - DIN 912		2
8	830.120.120	Self Lock Nut M12 - ISO 10511		1
9	830.080.080	Self Lock Nut M8 - ISO 10511		6
10	802.080.500	Bolt M8 x 50 - ISO 4014		1
11	571.153.910	Gas strut L=525.5/stroke=200 F=800		1
12	804.080.400	Bolt M8 x 40 - ISO 4017		1
13	402.110.100	Pivot bush $\varnothing 20/\varnothing 10.5$ L=10		2
14	830.100.100	Self Lock Nut M10 - ISO 10511		2
15	804.100.350	Bolt M10 x 35 - ISO 4017		2
16	864.100.031	Large washer M10 - DIN 9021		2




Item	PartNo.	Description	Remarks	Qty.
1	468.085.150	Clamp strip		1
2	446.055.290	Gate rubber		1
3	494.158.650	Rear cover weldment		1
4	444.051.570	Guide plate		1
5	468.031.520	Clamp strip		1
6	446.071.560	Close rubber		1
7	830.100.100	Self Lock Nut M10 - ISO 10511		2
8	830.080.080	Self Lock Nut M8 - ISO 10511		6
9	804.080.200	Bolt M8 x 20 - ISO 4017		5
10	804.080.250	Bolt M8 x 25 - ISO 4017		8
11	866.080.020	Spring Washer M8 - DIN 127		8
12	864.100.030	Washer M10 - ISO 7089		2
13	864.080.030	Washer M8 - ISO 7089		8
14	468.032.050	Material divider		1
15	446.080.550	Rubber stop		1
16	804.100.250	Bolt M10 x 25 - ISO 4017		2




Item	PartNo.	Description	Remarks	Qty.
1	468.171.600	Deflection cover belt		1
2	830.160.160	Self Lock Nut M16 - ISO 10511		4
3	804.120.250	Bolt M12 x 25 - ISO 4017		3
4	864.120.030	Washer M12 - ISO 7089		3
5	472.081.300	Spanner bracket		1
6	804.161.300	Bolt M16 x 130 - ISO 4017		1
7	804.160.600	Bolt M16 x 60 - ISO 4017		4
8	804.080.200	Bolt M8 x 20 - ISO 4017		1
9	804.080.250	Bolt M8 x 25 - ISO 4017		1
10	743.250.440	Bearing PHEY25		1
11	742.250.360	Bearing UCFL 205		1
12	864.080.030	Washer M8 - ISO 7089		2
13	826.200.200	Nut M20 - DIN 934		2
14	488.116.080	Belt roller		1
15	470.153.400	Bearing bracket		1
16	866.060.850	Scraper bracket		1
17	852.201.800	Threaded rod M20 L=180		1
18	468.102.302	Spacer plate		1
19	468.051.302	Scraper bracket		1
20	464.065.402	Roller scraper		1
21	816.160.600	Bolt M16 x 60 - DIN 7991		2
22	804.160.450	Bolt M16 x 45 - ISO 4017		2
23	830.080.080	Self Lock Nut M8 - ISO 10511		1
24	880.060.100	Grease nipple M6 DIN 71412A		1
25	880.090.100	Grease nipple Rp 1/8 straight		1
26	866.080.020	Spring Washer M8 - DIN 127		1
27	830.120.120	Self Lock Nut M12 - ISO 10511		3
28	494.942.040	Fixed conveyor frame		1
29	492.041.140	Conveyor belt		1




Item	PartNo.	Description	Remarks	Qty.
1	464.081.300	Strip 20x8 L=130		1
2	804.080.250	Bolt M8 x 25 - ISO 4017		4
3	804.080.300	Bolt M8 x 30 - ISO 4017		1
4	830.080.080	Self Lock Nut M8 - ISO 10511		6
5	466.055.000	Triangular scraper		1
6	802.080.450	Bolt M8 x 45 - ISO 4014		1
7	464.050.502	Bracket		2




Item	PartNo.	Description	Remarks	Qty.
1	464.151.250	Spacer		1
2	464.065.102	Roller scraper		1
3	488.116.480	Belt roller		1
4	665.250.520	Coupling half A2825 Cast Iron		2
5	864.100.030	Washer M10 - ISO 7089		2
6	665.650.200	Coupling Rubber EGE-2-RP 92 Shore		1
7	864.080.030	Washer M8 - ISO 7089		2
8	468.032.102	Material divider		1
9	816.160.452	Bolt M16 x 45 - DIN 7991		2
10	818.060.120	Set screw M6 x 12 - DIN 916		2
11	830.100.100	Self Lock Nut M10 - ISO 10511		2
12	830.120.120	Self Lock Nut M12 - ISO 10511		2
13	830.160.160	Self Lock Nut M16 - ISO 10511		8
14	866.080.020	Spring Washer M8 - DIN 127		2
15	884.080.300	Key 8x7x30 - DIN 6885		1
16	742.250.360	Bearing UCFL 205		1
17	880.060.100	Grease nipple M6 DIN 71412A		1
18	880.090.100	Grease nipple Rp 1/8 straight		1
19	826.200.200	Nut M20 - DIN 934		3
20	804.100.450	Bolt M10 x 45 - ISO 4017		2
21	804.120.450	Bolt M12 x 45 - ISO 4017		2
22	804.160.450	Bolt M16 x 45 - ISO 4017		2
23	804.160.500	Bolt M16 x 50 - ISO 4017		4
24	804.080.200	Bolt M8 x 20 - ISO 4017		2
25	884.080.320	Key 8x7x32 - DIN 6885		1
26	743.250.440	Bearing PHEY25		1




Item	PartNo.	Description	Remarks	Qty.
1	460.705.650	Jack TS2000		2
2	406.190.720	Distance bush D25/D19 L=72		2
3	830.180.180	Self Lock Nut M18 - ISO 10511		2
4	830.060.060	Self Lock Nut M6 - ISO 10511		4
5	802.181.200	ISO 4014 - M18 x 120 x 42-C		2
6	864.120.031	Large washer M12 - DIN 9021		2
7	802.060.800	Bolt M6 x 80 - ISO 4014		4
8	494.156.013	Scraper TS1600		1
9	488.168.160	Roller 168.3 L=1600		1
10	470.061.570	Support bracket		2
11	468.041.480	Scraper back left		1
12	468.153.304	Strip front roller		2
13	444.109.150	Scraper strip		1
14	404.160.210	Pivot bush		2
15	830.120.120	Self Lock Nut M12 - ISO 10511		2
16	468.041.482	Scraper back right		1
17	830.080.080	Self Lock Nut M8 - ISO 10511		8
18	880.060.100	Grease nipple M6 DIN 71412A		2
19	802.160.650	Bolt M16 x 65 - ISO 4014 - 10.9		4
20	804.120.250	Bolt M12 x 25 - ISO 4017		2
21	804.120.300	Bolt M12 x 30 - ISO 4017		2
22	804.160.550	Bolt M16 x 55 - ISO 4017		1
23	804.080.300	Bolt M8 x 30 - ISO 4017		8
24	830.160.160	Self Lock Nut M16 - ISO 10511		6
25	464.042.800	Height Indicator Strip, L= 280		2
26	866.120.020	Spring Washer M12 - DIN 127		2
27	742.300.400	Bearing UCFL206		2
28	864.120.030	Washer M12 - ISO 7089		2
29	864.160.030	Washer M16 - ISO 7089		6
30	816.160.550	Bolt M16 x 55 - DIN 7991		1




Item	PartNo.	Description	Remarks	Qty.
1	494.156.013	Scraper TS1600		1
2	488.168.160	Roller 168.3 L=1600		1
3	468.041.480	Scraper back left		1
4	468.041.482	Scraper back right		1
5	402.200.340	Distance bush 30/19.5 L=34		1
6	402.200.090	Distance bush 30/19.5 L=9		1
7	444.109.150	Scraper strip		1
8	468.031.172	Depth adjustment gauge		2
9	468.031.420	Cover plate		2
10	864.120.031	Large washer M12 - DIN 9021		2
11	404.160.210	Pivot bush		2
12	830.120.120	Self Lock Nut M12 - ISO 10511		2
13	830.160.160	Self Lock Nut M16 - ISO 10511		4
14	830.080.080	Self Lock Nut M8 - ISO 10511		8
15	880.060.100	Grease nipple M6 DIN 71412A		2
16	808.190.890	Hex Bolt 3/4-16 L=3.5 UNF		2
17	808.191.000	Hex Bolt 0.75"-16x4" UNF - ANSI B18.2.1		1
18	808.191.270	Hex Bolt 0.75"-16x5" UNF - ANSI B18.2.1		1
19	804.120.250	Bolt M12 x 25 - ISO 4017		2
20	742.300.400	Bearing UCFL206		2
21	804.160.550	Bolt M16 x 55 - ISO 4017		4
22	804.080.300	Bolt M8 x 30 - ISO 4017		8
23	522.242.150	Toplink CAT1 215-300mm		2
24	866.120.020	Spring Washer M12 - DIN 127		2
25	864.120.030	Washer M12 - ISO 7089		2
26	840.190.230	SL Nut 3/4"-16 UNF		4
27	804.120.300	Bolt M12 x 30 - ISO 4017		2
28	468.155.350	Strip back roller		2





Item	PartNo.	Description	Remarks	Qty.
1	468.152.504	Side cover bearing		2
2	468.101.900	Side strip cover bearing		2
3	596.061.500	Grease Hose L=150		1
4	596.140.270	Bulkhead coupling		1
5	844.140.060	Nut M14x1.5		1
6	596.060.060	Connector		2
7	596.120.24	Grease nipple connector		2
8	353.135.116	Fraser Blade 6mm		60
9	830.100.100	Self Lock Nut M10 - ISO 10511		120
10	804.100.300	Bolt M10 x 30 - ISO 4017		120
11	488.556.184	Rotor Turf Stripper 1600		1
12	880.080.100	Grease nipple M8 DIN 71412A		1
13	880.090.100	Grease nipple Rp 1/8 straight		1
14	802.180.550	Bolt M18 x 55 - ISO 4014		8
15	802.080.400	Bolt M8 x 40 - ISO 4014		4
16	884.180.500	Key 18x11x50 - DIN 6885		1
17	866.180.020	Spring Washer M18 - DIN 127		8
18	741.600.810	TCJ60-N		2




ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	353.303.110	Hybrid Blade 13mm		121
2	820.100.300	MH Bolt M10 x 30 ISO 8677		121
3	830.100.100	Self Lock Nut M10 - ISO 10511		121
4	488.355.185	Hybrid rotor 1600		1
5	884.180.500	Key 18x11x50 - DIN 6885		1
6	468.203.360	Side cover bearing		2
7	468.101.900	Side strip cover bearing		2
8	802.080.400	Bolt M8 x 40 - ISO 4014		4
9	830.080.080	Self Lock Nut M8 - ISO 10511		4
	253.160.000	Hybrid rotor TS1600 complete		




ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	804.100.300	Bolt M10 x 30 - ISO 4017		120
2	830.100.100	Self Lock Nut M10 - ISO 10511		120
3	353.303.128	Scarify Blade 3mm CT Fieldstripper		60




Item	PartNo.	Description	Remarks	Qty.
1	534.300.941	Hydraulic cylinder 30/60 stroke 691		1
2	541.132.204	Hose NSK6 (1/4") TL=2200 PF 6690+ PN68		1
3	541.132.204	Hose NSK6 (1/4") TL=2200 PF6690+ PN68		1
4	543.130.321	Nipple with flow reducer		2
5	545.210.800	Quick connector male 1/2"		2
6	547.300.340	Cover plate hose clamp 2x10 - 2x12		1
7	874.210.020	Copper washer 1/2"		2
8	830.060.060	Self Lock Nut M6 - ISO 10511		1
9	547.120.120	Hose clamp 2x12		2
10	802.060.500	Bolt M6 x 50 - ISO 4014		1
11	874.170.020	Copper washer 3/8"		2



Item	PartNo.	Description	Remarks	Qty
1	541.222.000	Hose NSK13 (1/2") TL=2000 PGLO1322 PN138		2
2	541.221.000	Hose NSK13 (1/2") TL=1050 PF13845 + PF138		1
3	545.210.800	Quick connector male 1/2"		2
4	874.210.020	Copper washer 1/2"		8
5	830.060.060	Self Lock Nut M6 - ISO 10511		4
6	547.300.302	Pipe clamp single Ø30 Gr4		4
7	549.300.570	Deck plate Gr4		2
8	541.211.806	Hose NSK13 (1/2") TL=1800 PGLO1322 PF13890		1
9	802.060.650	Bolt M6 x 65 - ISO 4014		4
10	532.251.900	Hydraulic motor OMP 80		1
11	536.307.800	SL Non-Return Valve 1/2", 10.0 bar		1
12	543.210.210	Nipple BSP 1_2" x 1_2" 60deg		4
13	544.154.702	T-Connector. Pipe 15-M22		2
14	541.211.804	Hose NSK13 (1/2") TL=1800 PGLO132245 PGLO1322		1
15	544.210.150	Nipple BSP 1_2" x pipe 15 (M22)		2
16	532.251.902	Hydraulic motor OMP 100		1




ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	804.160.300	Bolt M16 x 30 - ISO 4017		2
2	468.153.206	Weight plate		4
3	468.152.340	Weight plate small		5
4	830.160.160	Self Lock Nut M16 10.9 - ISO 10511		4
5	802.161.700	Bolt M16 x 170 - ISO 4014		2
6	864.160.030	Washer M16 - ISO 7089		2
	253.160.010	Weight kit side plate TS1600	Contains item 2-6	




Total mass: 107.7 Kg / 237.4 lbs


Position on machine



Drill template



ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
1	470.103.540	Weight bar		1
2	492.502.800	Weight 20kg		5
3	523.051.000	R-clip Round 5, DIN 11024		1
4	933.280.402	Safety decall		1
5	804.160.450	Bolt M16 x 45 - ISO 4017		4
6	864.160.030	Washer M16 - ISO 7089		2
7	830.160.160	Self Lock Nut M16 10.9 - ISO 10511		4
	253.160.008	Weight bar assy	Contains item 1-7	



ITEM	PART NUMBER	DESCRIPTION	REMARKS	QUA
2	19000016	Inner roll pin		1
3	19000018	Outer roll pin		1
4	180016130	Cross and 4x circlip kit		2
5	151016029	Inner tube yoke type 60		1
6	151016028	Outer tube yoke type 60		1
7	152160214	T60-series Outer tube		1
8	153160114	T60-series Inner tube		1
9	141026108	Complete collar yoke type 60		1
10	141026001	Push pin yoke type 60		1
11	1422600097930	Complete guard 60-series		1
	613.809.120	Complete PTO T60 L=1140 SM		